ELSEVIER

Journal of Organometallic Chemistry 684 (2003) 381–382

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 684

Albano, V.G., 37
Alt, H.G., 91
Alvarez, C., 105
Anderson, T.J., 338
Araujo, J.P., 56

Baldoli, C., 170
Bchir, O.J., 338
Beller, M., 50
Bellia, V., 206
Bonitatebus, P.J., Jr., 56
Bordoni, S., 37
Brooks, B.C., 338
Brunner, H., 6
Busetto, L., 37

Callejas-Gaspar, B., 144
Caruso, T., 266
Cheung, K.-K., 287
Chisholm, M.H., 269
Christoffers, J., 307
Cokoja, M., 277

Dao, N.Q., 82
De Brauwer, Y., 206
Denise, B., 105
Dixneuf, P.H., 68
Dötz, K.H., 153
Dreßel, B., 322
Düz, B., 77

El-din, A.S.B., 329
Elschenbroich, C., 359
Etaiw, S.E.-d.H., 329

Fischer, H., 368
Fischer, R.A., 277
Fischer, R.D., 329
Fuß, B., 368

Gallucci, J.C., 269
Garkusha, O.G., 351
Gemel, C., 277
Giannini, C., 170
Girichev, G.V., 351
Giricheva, N.I., 351
Glas, H., 376
Graiff, C., 170
Green, K.M., 338
Gruber, I., 124

Haaland, A., 351
Haase, W.-C., 153
Hanika-Heidl, H., 329
Harms, K., 359
Herberhold, M., 300
Herdtweck, E., 235, 376
Herrmann, W.A., 1, 235
Hlad, M.S., 338
Hofmann, P., 124
Hollandsworth, C.B., 269
Hong, M., 287
Hopf, A., 200
Hortmann, K., 206

Ibrahim, M.S., 329
İmamoğlu, Y., 77

Jaitner, P., 44
Jamieson, J.Y., 56
Jourdain, I., 216

Kaminsky, W., 200
Kauf, T., 307
Kim, S.-H., 20
Kitamura, M., 194
Knorr, M., 216
Köcher, S., 230
Kopacka, H., 44
Kunkely, H., 113

Lalor, F.J., 249
Lang, H., 230
Laubender, M., 144
Lee, J.-s., 20
Le Floch, P., 189
Lentz, D., 216
Licandro, E., 170
Licht, A.I., 91
Lokshin, B.V., 351
Lopez, L.P.H., 56
Lopez, M., 206
Lügger, T., 322

Maiorana, S., 170
Marchetti, F., 37
Marin, V., 206
Martins, L.M.D.R.S., 315
Mathey, F., 189
Mayr, A., 287
McElwee-White, L., 338
Melaimi, M., 189
Merz, K., 277
Milius, W., 300
Monari, M., 37
Mutyala, S., 50

Nieger, M., 153

Öfele, K., 235
Okuda, J., 194
O'Neill, S.A., 249

Parlier, A., 105
Pastore, U., 266
Pekmez, K., 77
Pelzer, S., 307
Perdicchia, D., 170
Peters, L., 206
Pfeifer, A., 300
Piel, C., 200
Pietras, M., 359
Pleier, A.-K., 376
Pombeiro, A.J.L., 315
Powell, D.H., 338

Razavi, A., 206
Ricard, L., 189
Ricart, S., 266
Rieke, R.D., 20
Rigaut, S., 68
Rominger, F., 124
Rudler, H., 105
Ruiz-Molina, D., 44

Samdal, S., 351
Schrock, R.R., 56
Shlykov, S.A., 351
Sinha, A., 56
Sirole, S., 206
Spaniol, T.P., 194
Spannenberg, A., 50
Spinella, A., 266
Sporer, C., 44
Steinke, T., 277
Stone, K.C., 13
Straub, B.F., 124
Strohmann, C., 216
Suh, Y.S., 20
Sundermeier, M., 50
Süss-Fink, G., 117
Süzer, Ş., 77

Takahashi, T., 194
Tamm, M., 322
Templeton, J.L., 13
Therrien, B., 117
Thiel, W.R., 376
Tiripicchio, A., 170
Touchard, D., 68
Tverdova, N.V., 351

Vaissermann, J., 105

Elsevier B.V.
doi:10.1016/S0022-328X(03)00970-7

Van Belle, S., 206
van Klink, G.P.M., 230
van Koten, G., 230
van Wüllen, C., 307
Veciana, J., 44
Venâncio, A.I.F., 315
Vieille-Petit, L., 117
Vogler, A., 113
v. Preysing, D., 235
Wang, S., 287
Ward, T.R., 117
Weber, M., 6
Weibert, B., 368
Welzel, T., 277
Werner, H., 144
White, P.S., 13
Wilder, C.B., 338
Willemsen, S., 216
Winter, M., 277
Wurst, K., 44
Yıldız, A., 77
Zabel, M., 6
Zanotti, V., 37
Zapf, A., 50

ELSEVIER

Journal of Organometallic Chemistry 684 (2003) 383–388

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 684

Alkoxide
Tetranuclear tungsten cyclooctatetraenyl alkoxides $[W_2CO-T(OR)_4]_2$, where R = Me, Et and Pr, 269
Alkylidene complexes
Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis, 322
Alkyne insertion
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153
Alkynols
Allenylidene and derived alkynyl complexes of iron(II) with the $\{FeBr(Et_2PCH_2CH_2PEt_2)_2\}^+$ centre, 315
Alkynyl complexes
Synthesis and reactivity of dinuclear rhodium complexes with Rh=C=CHR and Rh=C=C=CRR′ units as building blocks, 144
Alkynyls
Allenylidene and derived alkynyl complexes of iron(II) with the $\{FeBr(Et_2PCH_2CH_2PEt_2)_2\}^+$ centre, 315
Allene
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(X\text{-}yl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand, 37
Allenylidene complexes
Synthesis and reactivity of dinuclear rhodium complexes with Rh=C=CHR and Rh=C=C=CRR′ units as building blocks, 144
Allenylidenes
Allenylidene and derived alkynyl complexes of iron(II) with the $\{FeBr(Et_2PCH_2CH_2PEt_2)_2\}^+$ centre, 315
Amido-cyclopentadienyl ligand
ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand, 194
Anionic carbene complexes
Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge, 249
Arene hydrogenation
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ $(n = 2, 3)$, 117
Aryl halides
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Atropisomerism
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153

Benzonitriles
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Benzyl manganese reagents
Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis, 20
Binuclear complexes
Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes, 368
Biphasic catalysis
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ $(n = 2, 3)$, 117
Bis(arene)metal complexes
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359

Carbene
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(X\text{-}yl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand, 37
Carbene complexes
Improving methodology for the preparation of uracil derivatives from fischer carbene complexes. Microwave activation, 266
Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes, 368
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153
Carbene ligands
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
Carbenes
Metal complexes of acyclic diaminocarbenes: links between *N*-heterocyclic carbene (NHC)- and Fischer-carbene complexes, 235
Reaction of alkoxycarbene complexes of tungsten with 1,2-dihydroquinoline: single vs. double hydride transfers to the carbene–carbon: synthesis, X-ray structure and reactivity of a quinolinium ylide complex of tungsten pentacarbonyl, 105
Carbohydrates
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153
Carbon-rich metal complexes
New coupling reactions for the construction of carbon-rich C_7

Elsevier B.V.
doi:10.1016/S0022-328X(03)00968-9

bridged di-ruthenium complexes, 68
Carbonylmanganese cations
Cationic carbonylmanganese complexes of the olefinic ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, 300
Carbyne
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(X\text{-}yl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand, 37
C_7 bridging ligand
New coupling reactions for the construction of carbon-rich C_7 bridged di-ruthenium complexes, 68
C–C bond formation
New coupling reactions for the construction of carbon-rich C_7 bridged di-ruthenium complexes, 68
Charge transfer
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113
C–H bond activation
ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand, 194
Chelate ligands
2-(3-Ferrocenylpyrazol-1-yl)cyclohexanol: a new building block for ferrocenyl ligands, 376
Chemical vapor deposition
Cl_4(PhCN)W(NPh) as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films, 338
Chloride
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Chlorocarbyne
Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge, 249
Chromium
Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes, 368
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Cluster catalysis
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ ($n = 2, 3$), 117
Complex salt
Synthesis, X-ray structure and characterization of a novel $[fc(IMH)_2H]^+[Co(hfac)_3]^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks, 44
Copper
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
Copper carbenes
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
Copper cyanide
New supramolecular organotin(IV)/-copper(I) cyanides containing the unique $\{Cu_2^I(\mu\text{-}CN)_2\}$ building block, 329
Cross-coupling
Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis, 20
Crystallographic data
Vibrational spectroscopic data of metallocarbyne complexes, 82
Crystal structures
A mixed palladium(0) palladium(II) bis-diphosphaferrocene complex, 189
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(X\text{-}yl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand, 37
New supramolecular organotin(IV)/-copper(I) cyanides containing the unique $\{Cu_2^I(\mu\text{-}CN)_2\}$ building block, 329
Cuprophilicity
New supramolecular organotin(IV)/-copper(I) cyanides containing the unique $\{Cu_2^I(\mu\text{-}CN)_2\}$ building block, 329
Cyanation
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Cyanocarbyne
Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge, 249
Cyclic voltammetry
Ferrocene-bridged Pd–NCN pincer complexes, 230
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359
Cycloaddition
Improving methodology for the preparation of uracil derivatives from fischer carbene complexes. Microwave activation, 266
Cyclobutenylidene complexes
Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes, 368
Cycloheptatrienyl complexes
Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis, 322
Cyclooctatetraene
Tetranuclear tungsten cyclooctatetraenyl alkoxides $[W_2CO\text{-}T(OR)_4]_2$, where R = Me, Et and Pr, 269
Cyclopropanation
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124

Density functional calculations
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
Density functional theory calculations
The molecular structure of dicyclopentadienylzinc (zincocene) determined by gas electron diffraction and density functional theory calculations: η^5,η^5, η^3,η^3 or η^5,η^1 coordination of the ligand rings?, 351
DFT calculations
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Diazoalkanes
Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis, 322
Dicyclopentadienylzinc
The molecular structure of dicyclopentadienylzinc (zincocene) determined by gas electron diffraction and density functional theory calculations: η^5,η^5, η^3,η^3 or η^5,η^1 coordination of the ligand rings?, 351
Diffusion barrier
Cl_4(PhCN)W(NPh) as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films, 338
Dihydropyridines
Reaction of alkoxycarbene complexes of tungsten with 1,2-dihydroquinoline: single vs. double hydride transfers to the carbene–carbon: synthesis, X-ray structure and reactivity of a quinolinium ylide complex of tungsten pentacarbonyl, 105

Diiron complexes
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to [Fe_2{μ-CN(Me)(X-yl)}(μ-CO)(CO)(NCCMe$_3$)(Cp)$_2$][SO_3CF_3]: Formation of a novel bridging η^1:η^2 allene-diaminocarbene ligand, 37
Diphosphaferrocene
A mixed palladium(0) palladium(II) bis-diphosphaferrocene complex, 189
Di-ruthenium complexes
New coupling reactions for the construction of carbon-rich C_7 bridged di-ruthenium complexes, 68
Disaccharides
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153

Electrocatalysis
Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis, 77
Electron deformation densities
Vibrational spectroscopic data of metallocarbyne complexes, 82
Electronic spectra
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113
Enantioselective catalysis
Enantioselective catalysis: Part 147. A Rh(cod) complex with the chiral [Pt_2S_2{(−)diop}$_2$] ligand, 6
Enynyls
Allenylidene and derived alkynyl complexes of iron(II) with the {FeBr($Et_2PCH_2CH_2PEt_2$)$_2$}$^+$ centre, 315
EPR spectroscopy
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359

Ferrocene
Ferrocene-bridged Pd–NCN pincer complexes, 230
Ferrocenes
2-(3-Ferrocenylpyrazol-1-yl)cyclohexanol: a new building block for ferrocenyl ligands, 376
Fischer-type hydrazinocarbenes
High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides, 170

Gallium
Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes, 277
Gas electron diffraction
The molecular structure of dicyclopentadienylzinc (zincocene) determined by gas electron diffraction and density functional theory calculations: η^5,η^5, η^3,η^3 or η^5,η^1 coordination of the ligand rings?, 351
Group 16 metal complexes
Metal complexes of acyclic diaminocarbenes: links between *N*-heterocyclic carbene (NHC)- and Fischer-carbene complexes, 235
Group 13 transition metal bonds
Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes, 277

Hafnocene complexes
C_s-symmetric hafnocene complexes for synthesis of syndiotactic polypropene, 200
Half-sandwich complexes
ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand, 194
Heterometallic complexes
Enantioselective catalysis: Part 147. A Rh(cod) complex with the chiral [Pt_2S_2{(−)diop}$_2$] ligand, 6
Hexafluoroacetylacetonate
Synthesis, X-ray structure and characterization of a novel [fc(IMH)$_2$H]$^+$[Co(hfac)$_3$]$^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks, 44
Homo-coupling
Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis, 20
Homogeneous catalysis
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
Host–guest complexes
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes [C_6H_6 ⊂ H_3Ru_3{$C_6H_5(CH_2)_n$ OH}(C_6Me_6)$_2$(O)]$^+$ (n = 2, 3), 117
Hydrazides
High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides, 170
Hydrogen bonding
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359
Hydrogen bonds
2-(3-Ferrocenylpyrazol-1-yl)cyclohexanol: a new building block for ferrocenyl ligands, 376
Hydrophobic forces
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes [C_6H_6 ⊂ H_3Ru_3{$C_6H_5(CH_2)_n$ OH}(C_6Me_6)$_2$(O)]$^+$ (n = 2, 3), 117

Imido
Cl_4(PhCN)W(NPh) as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films, 338
Intermolecular interactions
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes [C_6H_6 ⊂ H_3Ru_3{$C_6H_5(CH_2)_n$ OH}(C_6Me_6)$_2$(O)]$^+$ (n = 2, 3), 117
Iron
Allenylidene and derived alkynyl complexes of iron(II) with the {FeBr($Et_2PCH_2CH_2PEt_2$)$_2$}$^+$ centre, 315
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Iron complexes
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Isocyanide
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216

Liquid crystals
Synthesis, structure, and liquid crystal properties of a series of platinum(II) complexes containing chiral 4-(4-alkoxyphenylethynyl) phenylisocyanide ligands, 287

Luminescence
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113

Manganese
Cationic carbonylmanganese complexes of the olefinic ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, 300
Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis, 20
Mechanism
Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity, 206
Metal catalysis
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Metallacyclobutadiene
Molybdenum alkylidyne complexes that contain a 3,3′-di-*t*-butyl-5,5′,6,6′-tetramethyl-1,1′-biphenyl-2,2′-diolate ($[Biphen]^{2-}$) ligand, 56
Metallocarbynes
Vibrational spectroscopic data of metallocarbyne complexes, 82
Metallocene
Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity, 206
Synthesis, X-ray structure and characterization of a novel $[fc(IMH)_2H]^+[Co(hfac)_3]^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks, 44
Metallocene catalysts
C_s-symmetric hafnocene complexes for synthesis of syndiotactic polypropene, 200
Metal–metal bonds
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Metathesis catalyst
Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis, 77
Methoxycarbyne complex
Synthesis, protonation, and electrophilic reactions of $Tp'(CO)_2W{\equiv}C{-}OMe$, a tungsten methoxycarbyne complex, 13
Michael addition
Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences, 307
Microwave irradiation
Improving methodology for the preparation of uracil derivatives from fischer carbene complexes. Microwave activation, 266
Molecular recognition
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ ($n = 2, 3$), 117
Molybdacyclobutadiene complexes
Molybdenum alkylidyne complexes that contain a 3,3′-di-*t*-butyl-5,5′,6,6′-tetramethyl-1,1′-biphenyl-2,2′-diolate ($[Biphen]^{2-}$) ligand, 56
Molybdenum
Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes, 277
Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis, 322
Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge, 249
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Multimetallic
Ferrocene-bridged Pd–NCN pincer complexes, 230

NCN pincer
Ferrocene-bridged Pd–NCN pincer complexes, 230
Nickel complexes
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113
Nitride
$Cl_3(PhCN)W(NPh)$ as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films, 338
Nitrile
C–N coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(X\text{-}yl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand, 37
Nitrogen bases
New supramolecular organotin(IV)/-copper(I) cyanides containing the unique $\{Cu^I_2(\mu\text{-}CN)_2\}$ building block, 329
Nitronyl nitroxides
Synthesis, X-ray structure and characterization of a novel $[fc(IMH)_2H]^+[Co(hfac)_3]^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks, 44
N ligands
Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes, 124
N,*N*,*N*′,*N*′-Tetramethyl-*para*-phenylenediamine (TMPD)
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359
Nucleophilic attack
Synthesis, protonation, and electrophilic reactions of $Tp'(CO)_2W{\equiv}C{-}OMe$, a tungsten methoxycarbyne complex, 13

1-Octene
Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis, 77
2-Octene
Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis, 77
Olefinic phosphanes
Cationic carbonylmanganese complexes of the olefinic ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$, 300
Olefin metathesis
Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis, 322
Olefin polymerization catalysis
Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity, 206
ortho-Metalation
ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand, 194
Oxidation of Fischer complexes
High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides, 170

Palladium
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis, 20

Ferrocene-bridged Pd–NCN pincer complexes, 230
Palladium complexes
A mixed palladium(0) palladium(II) bis-diphosphaferrocene complex, 189
Platinum
Enantioselective catalysis: Part 147. A Rh(cod) complex with the chiral $[Pt_2S_2\{(-)diop\}_2]$ ligand, 6
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Platinum(II) isocyanide complex
Synthesis, structure, and liquid crystal properties of a series of platinum(II) complexes containing chiral 4-(4-alkoxyphenylethynyl) phenylisocyanide ligands, 287
Polypropylene
Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity, 206
Propargyl alcohols
Allenylidene and derived alkynyl complexes of iron(II) with the $\{FeBr(Et_2PCH_2CH_2PEt_2)_2\}^+$ centre, 315
Propene polymerisation
C_s-symmetric hafnocene complexes for synthesis of syndiotactic polypropene, 200
Pseudotetrahedral species
Molybdenum alkylidyne complexes that contain a 3,3′-di-*t*-butyl-5,5′,6,6′-tetramethyl-1,1′-biphenyl-2,2′-diolate ($[Biphen]^{2-}$) ligand, 56
Pyrazoles
2-(3-Ferrocenylpyrazol-1-yl)cyclohexanol: a new building block for ferrocenyl ligands, 376

Quinolinium ylid
Reaction of alkoxycarbene complexes of tungsten with 1,2-dihydroquinoline: single vs. double hydride transfers to the carbene–carbon: synthesis, X-ray structure and reactivity of a quinolinium ylide complex of tungsten pentacarbonyl, 105

Raman and IR spectra
Vibrational spectroscopic data of metallocarbyne complexes, 82
Reduction
Synthesis, X-ray structure and characterization of a novel $[fc(IMH)_2H]^+[Co(hfac)_3]^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks, 44
Reversible protonation
Synthesis, protonation, and electrophilic reactions of $Tp'(CO)_2W{\equiv}C{-}OMe$, a tungsten methoxycarbyne complex, 13
Rhodium
Enantioselective catalysis: Part 147. A Rh(cod) complex with the chiral $[Pt_2S_2\{(-)diop\}_2]$ ligand, 6
Synthesis and reactivity of dinuclear rhodium complexes with $Rh{=}C{=}CHR$ and $Rh{=}C{=}C{=}CRR'$ units as building blocks, 144
Ruthenium and iridium complexes
Metal complexes of acyclic diaminocarbenes: links between *N*-heterocyclic carbene (NHC)- and Fischer-carbene complexes, 235

Second sphere coordination
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ $(n = 2, 3)$, 117
Spirocyclopropanation
Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism, 153
Stereoselective aldol addition
High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides, 170
Stereoselective Michael addition
High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides, 170
Structural distortion
Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand, 359
Supramolecular effects
Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_n OH\}(C_6Me_6)_2(O)]^+$ $(n = 2, 3)$, 117
Syndiospecificity
Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity, 206
Syndiotactic polypropylene
C_s-symmetric hafnocene complexes for synthesis of syndiotactic polypropene, 200

Tetranuclear
Tetranuclear tungsten cyclooctatetraenyl alkoxides $[W_2CO\text{-}T(OR)_4]_2$, where R = Me, Et and Pr, 269
Titanium complexes
Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor, 113
Triflato complexes
Synthesis and reactivity of dinuclear rhodium complexes with $Rh{=}C{=}CHR$ and $Rh{=}C{=}C{=}CRR'$ units as building blocks, 144
Trimethylsilylcyanide
A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide, 50
Tungsten
$Cl_4(PhCN)W(NPh)$ as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films, 338
Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes, 277
Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes, 368
Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge, 249
Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand, 216
Tetranuclear tungsten cyclooctatetraenyl alkoxides $[W_2CO\text{-}T(OR)_4]_2$, where R = Me, Et and Pr, 269
Tungsten hexachloride
Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis, 77

Ureas
Improving methodology for the preparation of uracil derivatives from fischer carbene complexes. Microwave activation, 266

Vinylidene complexes
Synthesis and reactivity of dinuclear rhodium complexes with $Rh{=}C{=}CHR$ and $Rh{=}C{=}C{=}CRR'$ units as building blocks, 144

X-ray single crystal structure analysis
Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes, 277
X-ray structure
Reaction of alkoxycarbene complexes of tungsten with 1,2-dihydroquinoline: single vs. double hydride transfers to the carbene–carbon: synthesis, X-ray structure and reactivity of a quinolinium ylide complex of tungsten pentacarbonyl, 105

Yttrium
ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand, 194

Zincocene
The molecular structure of dicyclopentadienylzinc (zincocene) determined by gas electron diffraction and density functional theory calculations: η^5,η^5, η^3,η^3 or η^5,η^1 coordination of the ligand rings?, 351